

Fegan



Good life to all



The GUT Friendly Antibiotic



Rifaximin

The preferred gut antibiotic




Rifaximin 400mg Tablets

In the Management of IBS

In patients with relapsing symptoms of IBS-D, repeat rifaximin treatment was efficacious and well tolerated.

Gastroenterology 2016 Dec;151(6):1113-1121



Effective antibiotic against all important pathogens

Presenting the optimal first line for optimum cure

Pylobis

Colloidal Bismuth Subcitrate 120mg

H-PYLORI -1 BACTERIUM

Multiple Challenges | Malt Lymphoma <1% | Gastric Ulcer
Duodenal Ulcer | 1% Gastric Cancer | 5% Gastric Atrophy.
Acute / Chronic




Based on consensus and evidence
it is best to achieve the cure rates from the start.

The Experts Recommended

“Traditional Bismuth Quadruple Therapy” Or
Concomitant Non Bismuth Quadruple Therapy
As The Options for First Line Therapy

For OPTIMUM cure use PYLOBIS



H-Pylori Eradication Therapies. Doses for Agents In Bismuth Quadruple Therapy

Colloidal bismuth subcitrate	120 mg	1 QID/2 BID
PPI	20/40 mg	BID
Metronidazole	500 mg	TID/QID
Tetracycline	500 mg	QID

Experience the **POWER** of Esomeprazole



Eziem


Esomeprazole 20/40mg

A new Feeling of relief
Esomeprazole offers
Greater Acid suppression
than all other PPI

Eziem-D

Esomeprazole 40mg+Domperidone 30mg

Eziem got power of
relief in GERD
Provides more effective
healing of erosive esophagitis.
Provides more faster
resolution of heart burn.



Eziem got power of RELIEF in GERD



Normalizes The Brain Gut Axis



MebaX

Mebeverine Hydrochloride 135mg & Chlordiazepoxide 5mg Capsules

MEBEVERINE :

- Musculotropic Antispasmodic
- Relaxer the Gut Muscles
- Relieves Abdominal cramps and treats IBS

CHLORDIAZEPOXIDE :

- An effective Anxiolytic
- Relieves from Anxiety and Tension




Oxidative stress leads to the destruction of acinar cells.



ACINOX

Complete protection of Acinar cells in chronic and acute pancreatitis rely on ACINOX

1. Beta carotene reduces reactive oxygen species
2. Vitamin c improves immunity
3. Methyonin act as a building block of proteins
4. Selenium improves cognitive function
5. N-Acetylcysteine prevents liver damage
6. Zinc improves the growth of tissues
7. Vitamin E reduces oxidative stress.




For an improved quality of life in acute & Chronic pancreatitis, please prescribe ACINOX antioxidants with traceminerals & vitamins


An **EFFECTIVE** Evidence in **NASH**

PIVENS

Vitamin E, Omega 3 Fatty Acid, Soft Geletic Capsules



Vital for healthy liver
Vitamin E-reduces oxidative stress
Omega 3 normalise hyper TG




Vital for **HEALTHY** Liver

Start *right*...

Start *Smart*

Entaclude
Entecavir Tablets 0.5mg

- Higher PCR negativity on treatment
- Higher ALT-Normalization
- Superior histological improvement*
- Comparable efficacy with TDF#
- Consistent viral suppression irrespective of HbeAg status



IN CHB Managament

To achieve Long-term antiviral success,

A high barrier to resistance is Critical for an antiviral agent

START RIGHT...

WHEN EVERY SECOND COUNTS CHOOSE THE ONE ACT FAST

In Oesophageal Variceal Haemorrhage & Hepato-renal Syndrome



Esopresin

Terlipressin injection 1mg/10ml



Terlipressin Guideline

For Oesophaegal Varices & Hepato-Renalsyndrome

Condition	Dose	Frequency	Duration
Oesophageal varices	1-2mg immediately, then 1mg	4-6 hourly	48 hours usually, Up to maximum of 72 hours
Hepato-renal syndrome	0.5-2mg	4 hourly	Until renal function improves (may take up to 15 days)*

Observation And Monitoring :

- Blood pressure
- Fluid balance and accurate urine output.
- Serum sodium and potassium

*Note: for hepato-renal syndrome continue until serum creatinine is less than 130 micromo/L or has decreased by at least 30% since diagnosis.if serum creatinine does not decrease at least 25% after 3 days, the dose may be increased stepwise to a maximum of 2mg every 4 hours.



Thank you
Doctor



San Fegan Biotech Pvt Ltd